

# The Great Basin Naturalist

PUBLISHED AT PROVO, UTAH BY  
BRIGHAM YOUNG UNIVERSITY

VOLUME XXVIII

June 29, 1968

No. 2

## ANNOTATED BIBLIOGRAPHY OF NEVADA ORNITHOLOGY SINCE 1951

Richard C. Banks<sup>1</sup>

The most recent list of birds of Nevada, necessarily incorporating a review of the literature up to that time, is that published by Linsdale in 1951. The extensive amount of new information on Nevada birds since Linsdale's summary has been published in a variety of books and journals. This compilation of references is a by-product of an effort to determine the status and distribution of certain birds in Nevada. It is presented with the hope that others who develop ornithological interests in that state will be spared the effort of compiling their own lists.

This list of annotated citations is presented with no claim that it is complete. No attempt has been made to ferret out all systematic reviews of species which may more or less casually mention a specimen from the state; although some such papers have been included, undoubtedly many others have been overlooked. Most mimeographed and "popular" publications have not been included.

Two references included here predate Linsdale's 1951 paper. One (Hardy, 1949) was apparently overlooked by Linsdale; the other (Pulich and Phillips, 1951) appeared in print while Linsdale's paper was in press.

Gordon W. Gullion graciously studied the original list of references which I had compiled and drew my attention to several others. His efforts are deeply appreciated.

This list includes no papers published after December 31, 1967.

Aldrich, John W.

1951. A review of the races of the Traill's flycatcher. Wilson Bull. 63:192-197. Type specimen of *Empidonax traillii brewsteri* from Cloverdale, Nev., considered a migrant of Pacific northwest population; breeding birds from southern Great Basin assigned to *E. t. extimus*.

1967. Taxonomy, distribution and present status. Pp. 17-44 in *The Wild Turkey and Its Management*. Oliver H. Hewitt, ed. The Wildlife Society, Washington, D. C. Table gives population estimates of *Meleagris gallopavo merriami* in Nev., 1961-1965.

1. Bureau of Sport Fisheries and Wildlife; U. S. National Museum, Washington, D. C.

Aldrich, John W., and Allen J. Duvall

1955. Distribution of American gallinaceous game birds. Circular 34, Fish and Wildlife Service, Washington, D. C. Range maps.

1958. Distribution and migration of races of the mourning dove. Condor 60:108-128. Specimens of *Zenaidura macroura marginella* from Nev.

Alcorn, J. R.

1953. Food of the common merganser in Churchill County, Nevada. Condor 55:151-152.

Alcorn, J. R., and Frank Richardson

1951. The chukar partridge in Nevada. Jour. Wildl. Mgt. 15: 265-275. Introduction, establishment, and biology.

Amadon, D.

1966. Confused nocturnal behavior of (? California) gulls. Condor 68:397-398. Observation near Reno; comments on Lake Tahoe area; April, 1964.

American Ornithologists' Union

1957. Checklist of North American Birds. Fifth edition.

Audubon Field Notes.

Nearly every issue of this journal, published by the National Audubon Society, contains information on birds in Nevada.

Austin, George T., and W. Gren Bradley

1955. Bird records from southern Nevada. Condor 67:445-446. *Dendrocygna bicolor*—first record (spec.) for southern Nev.; *Sphyrapicus varius daggetti*; *Toxostoma bendirei*—fourth record (spec., juv.); all Clark Co.

1966. Additional records for uncommon birds in southern Nevada. Great Basin Nat. 26:41-42. *Florida caerulea*; *Aythya marila*—sight rec., March, 1964; *Gallinula chloropus*; *Mniotilta varia*; *Setophaga picta*—second record (sight), Colorado River, April, 1963; *Spiza americana*; all Clark Co.

Banks, Richard C.

1964. Geographic variation in the white-crowned sparrow *Zonotrichia leucophrys*. Univ. Calif. Publ. Zool. 70. 123 pp. Nev. breeding populations discussed; subspecific name *Z. l. leucophrys* considered correct instead of *Z. l. oriantha*.

Banks, Richard C., and R. Guy McCaskie

1964. Distribution and status of the Wied crested flycatcher in the lower Colorado River Valley. Condor 66:250-251. Mention of Nev. records of *Myiarchus tyrannulus magister*.

Behle, William H.

1956. A systematic review of the mountain chickadee. Condor 58:51-70. *Parus gambeli abbreviatus* in northwestern Nev.. *P. g. inyoensis* in most of rest of state.

Behle, William H., and Robert K. Selander

1951. A new race of dusky grouse (*Dendragapus obscurus*) from the Great Basin. Proc. Biol. Soc. Wash. 64:125-128. New race *D. o. oreinus* resident in Snake Range, Ruby Mountains, and Toyabe Range of Nevada; list of Nev. specimens examined.

Bond, Gorman M.

1963. Geographic variation in the thrush *Hylocichla ustulata*. Proc. U. S. Nat. Mus. 114:373-387. Nev. breeding specimens assigned to *H. u. almae*; discussion of type of this race, from Nev.

Bump, Gardiner, and Wayne H. Bohl

1964. Summary of foreign game bird propagation and liberations 1960 to 1963. Spec. Sci. Report Wildlife no. 80, Bureau of Sport Fisheries and Wildlife. Includes details of introduction of *Fringilla monticola asiae*, *Fringilla monticola pondicerianus interpositus*, *Pterocles exustus hindustan*, *Phasianus colchicus bianchii*, and *Tetraogallus himalayensis* in Nev.

Bureau of Fisheries and Wildlife

1956. Birds of Ruby Lake National Wildlife Refuge. Refuge Leaflet 156. Mimeo. 3 pp.

1967. Ruby Lake National Wildlife Refuge. Refuge Leaflet 98-R. Mimeo. 6 pp. Mentions several common birds; trumpeter swans "well established at Ruby Lake and have spread out to other areas in northeastern Nevada."

1967. Birds of the Desert National Wildlife Range. Refuge Leaflet 132-R-3. Mimeo. 4 pp. Seasonal status of 236 species, with list of 19 others "recorded only once or twice." Many important records, but not documented. List largely represents work by, and is compilation of, Dr. Charles G. Hansen, refuge biologist.

Burleigh, Thomas D.

1960. Geographic variation in the western wood pewee (*Contopus sordidulus*). Proc. Biol. Soc. Wash. 73:141-146. Nev. pewees assigned to *Contopus sordidulus veliei*; = *C. virens richardsonii* of Linsdale's 1951 list.

1960. Three new subspecies of birds from western North America. Auk 77:210-215. A specimen of *Sitta canadensis* from Nev. assigned to new race *S. c. clariterga*.

Chambers, Glenn D.

1965. Summary of foreign game bird propagation; 1964. and liberations; 1960-1964. Supplement to Special Scientific Report—Wildlife no. 80, Bureau of Sport Fisheries and Wildlife, Washington, D. C. Data on release, and results, of *Fringilla monticola asiae*, *Fringilla monticola pondicerianus interpositus*, *Pterocles exustus hindustan*, and *Tetraogallus himalayensis*; supplements Bump and Bohl, 1964.

1966. Summary of foreign game bird propagation 1965, and liberations 1960-1965. Supplement to Special Scientific Report—

Wildlife no. 80, Bureau of Sport Fisheries and Wildlife, Washington, D. C.

Data as in Chambers, 1965, with addition of *Phasianus colchicus bianchii* and "Afghan white-winged pheasant ringneck cross"; supplements Bump and Bohl, 1964, and Chambers, 1965.

Christensen, Glen C.

1954. The chukar partridge in Nevada. Nevada Fish and Game Comm., Biol. Bull. 1. 77 pp. Distribution, life history, and management.

1958. The effects of drought and hunting on the chukar partridge. Trans. 23rd North Amer. Wildl. Conf. :329-341. Correlation between range conditions and chukar production.

1963. Sand grouse released in Nevada found in Mexico. Condor 65:67-68. Details of release of *Pterocles exustus hindustan* in Nev. in 1960 and 1961.

Christensen, Glen C., and Wayne H. Bohl

1964. A study and review of the common Indian sandgrouse. Spec. Sci. Report Wildlife no. 84, Bureau of Sport Fisheries and Wildlife. Includes details of introductions of *Pterocles exustus hindustan* in Nev.

Cottam, Clarence

1954. Bird records for Nevada. Condor 56:223-224. *Aegolius acadicus*, *Ixoreus naevius*, and *Dendroica townsendi*, Clark Co.

Crispens, Charles G., Jr.

1960. Quails and Partridges of North America: A Bibliography. Univ. of Washington Press, Seattle. 125 pp. Cites many Nev. references.

Crunden, Charles W.

1963. Age and sex of sage grouse from wings. Jour. Wildl. Mgt. 27:846-849. Work done in Nev.

Davis, John

1951. Distribution and variation of the brown towhees. Univ. Calif. Publ. Zool. 52:1-120. Nev. specimens and population of *Pipilo aberti dumeticolus* considered.

Edminster, Frank C.

1954. American Game Birds of Field and Forest. Charles Scribner's Sons, New York. 490 pp. Cites information on several game species from Nev.

Evans, Raymond N.

1967. Nest site movements of a poor-will. Wilson Bull. 79:453.

Evenden, Fred G., Jr.

1952. Additional bird records for Nevada. Condor 54:174. *Falco peregrinus*—nest, Elko Co.; *Charadrius alexandrinus*—first evidence of nesting in Nev., downy young seen, Lyon Co.; *Sphyrapicus thyroideus*—nesting, Elko Co.; *Cyanocitta stelleri*—Lander Co.; *Parus atricapillus*—Churchill Co.; last in 1950, others in 1949, no specimens.

Francis, William J.

1967. Confused behavior of gulls in relation to weather conditions. *Condor* 69:609. Response to Amadon, 1966.

French, Norman R.

1959. Distribution and migration of the black rosy finch. *Condor* 61:18-29.

Giles, LeRoy W., and David B. Marshall

1954. A large heron and egret colony on the Stillwater Wildlife Management Area, Nevada. *Auk* 71:322-325. A colony of an estimated 1,191 nests and three smaller colonies in 1950, with *Nycticorax nycticorax*, *Ardea herodias*, *Leucophoyx thula*, *Casmerodius albus*, and *Plegadis mexicana*; Lahontan Valley.

Gullion, Gordon W.

1952. The Hudsonian curlew in Nevada. *Condor* 54:62. First record (sight, crippled bird) of *Numenius hudsonicus*; Clark Co., July, 1951.

1952. Recent bird records from southern Nevada. *Condor* 54:204. *Aix sponsa*—new record (spec.) for southern Nev., Clark Co.; *Aythya marila*—Clark Co.; *Eupoda montana*—first for southern Nev., Nye Co.; all 1951.

1953. Additional bird records from southern Nevada. *Condor* 55:160. *Eupoda montana*; *Scardafella inca*—first record (sight), Clark Co.; *Columbigallina passerina*—first record (spec.), Clark Co., actually second record, cf. Hardy, 1949; *Zonotrichia albicollis*—second record (spec.), Clark Co.; all in 1952.

1956. An ancient murrelet in northeastern Nevada. *Condor* 58:163. *Synthiboramphus antiquus*—first record (spec.), Elko, Elko Co., Nov., 1955.

1956. Evidence of double-brooding in Gambel quail. *Condor* 58:232-234.

1956. The current status of the starling in Nevada. *Condor* 58:446. *Sturnus vulgaris*—in winter in nearly all parts of state; nesting record near Elko.

1956. Let's go desert quail hunting. Nevada Fish and Game Comm., Biol. Bull. 2. 76 pp. A lot of good biological information written in a narrative, popular style.

1957. Miscellaneous bird records from northeastern Nevada. *Condor* 59:70-71. *Buteo lagopus*—"the common wintering *Buteo* in this part of the state"; *Sphyrapicus thyroideus*—second record in northeast Nev. (sight); *Parus atricapillus*—second record (sight), eastern Nev.; *Troglodytes troglodytes*—fourth record for Nev., first for eastern part (sight); *Toxostoma rufum*—first record for Nev., (sight, banded), Nov. 1955-April 29, 1956, Eureka Co.; *Bombycilla garrulus*; *Hesperiphona vespertina*—"common and regular fall and spring visitant in Elko area"; *Leucosticte atrata*; *Leucosticte tephrocotis*—race *L. t. littoralis* (sight); *Acanthis flammea*—spec.; *Spinus tristis*—Nov. Elko Co.;

*Loxia curvirostra*; *Zonotrichia querula*—third record for state, first for northeast, Elko Co., Nov., actually fourth record (cf. Linsdale, 1936, 1951)

1957. Precocial strutting in sage grouse. *Condor* 59:269. In Elko Co.

1957. Gambel quail disease and parasite investigations in Nevada. *Amer. Midl. Nat.* 57:414-420.

1960. The migratory status of some western desert birds. *Auk* 77:94-95. "a total of 23 species (19 percent) among about 120 native birds breeding in Nevada's desert regions spend their winters in the Central American tropics, or farther south."

1960. The ecology of Gambel's quail in Nevada and the arid southwest. *Ecology* 41:518-536.

1962. Organization and movements of coveys of a Gambel quail population. *Condor* 64:401-415. Study in Clark Co.

1964. Wildlife uses of Nevada plants. U. S. Nat. Arboretum. Contributions toward a Flora of Nevada, no. 49. 170 pp. Mimeo.

1965. A critique concerning foreign game bird introductions. *Wilson Bull.* 77:409-414. A discussion with considerable reference to the program in Nev.

Gullion, Gordon W., and Glen C. Christensen

1957. A review of the distribution of gallinaceous game birds in Nevada. *Condor* 59:128-138.

Gullion, Gordon W., and Ardelle M. Gullion

1961. Weight variations of captive Gambel quail in the breeding season. *Condor* 63:95-97.

1964. Water economy of Gambel quail. *Condor* 66:32-40.

Gullion, Gordon W., and Leonard W. Hoskins

1956. Noteworthy bird records from northeastern Nevada. *Condor* 58:295. *Polioptila caerulea*—nesting, near Elko, northernmost record; *Lanius excubitor*—five records for Elko Co. (2 specs.); *Lanius ludovicianus*—December.

Gullion, Gordon W., Warren M. Pulich, and Fred G. Evenden

1959. Notes on the occurrence of birds in southern Nevada. *Condor* 61:278-297. An extensive list of species, but admittedly not complete, of birds in the Mohave Desert region of Nev. Records included are: *Lophodytes cucullatus*—record for southern Nev. (sight); *Cathartes aura*—first winter record for state, Jan. (sight); *Zenaida asiatica*—apparently extending range; *Asyndesmus lewis*—spring records; *Dendrocopos pubescens*—first record for southern Nev. (sight); *Myiarchus tyrannulus*—second record in Nev., first outside Colorado River drainage (sight); *Progne subis*—first records since 1868; *Toxostoma bendirei*—second and third records for state (spec., sight); *Toxostoma curvirostre*—first for Nev. (sight); *Ilyocichla ustulata*—first record for southern Nev. (sight, banded); *vermivora rufi-*



*capilla*—second record in southern Nev. (sight); *Zonotrichia atricapilla*—fourth record for state, first in southern Nev. (spec.)

Hardy, Ross

1949. Ground dove and black-chinned sparrow in southern Nevada. Condor 51:272-273. *Columbigallina passerina*—first record for Nev. (sight), Clark Co., 1945; *Spizella atrogularis*—breeding, Lincoln Co.; reference not cited by Linsdale, 1951, and apparently overlooked also by Gullion, 1953.

Hayward, C. Lynn, Merlin L. Killpack, and Gerald L. Richards

1963. Birds of the Nevada test site. Brigham Young Univ. Sci. Bull., Biol. Ser. 3(1):1-27. Comments on collection records and status for "about 192 kinds of birds" in southern Nye Co.; six new records for Nevada, three of species, three of subspecies, all based on specimens, are: *Pluvialis dominica dominica*; *Erolia melanotos*; *Hylocichla guttata oromela*; *Hylocichla ustulata ustulata*; *Carpodacus purpureus californicus*; *Calcarius lapponicus lapponicus*; comments on other unusual species are for: *Micropalama himantopus*; *Tyrannus vociferans*; *Dumetella carolinensis*; *Zonotrichia atricapilla*.

Hickey, Joseph J.

1951. Mortality records as indices of migration in the mallard. Condor 53:284-297. Some data from Nev.

Hoskins, Leonard W.

1953. Sight record of yellow-shafted flicker in south Idaho. Murrelet 34:48. The bird was on a fence post making the boundary of Nev. and Idaho.

Howard, Hildegard

1958. An ancient cormorant from Nevada. Condor 60:411-413. Bones from cave in Pershing Co. identified as *Phalacrocorax auritus*, similar to present northwestern population of the species.

Howell, Thomas R.

1952. Natural history and differentiation in the yellow-bellied sapsucker. Condor 54:237-282. Distribution of *Sphyrapicus varius nuchalis* and *S. v. daggetti* in state.

Johnson, Ned K.

1952. Additional records of the rough-legged hawk in Nevada. Condor 54:65. *Buteo lagopus* widespread winter visitant in northern part of state.

1953. Dipper eaten by brook trout. Condor 55:158.

1954. Food of the long-eared owl in southern Washoe County, Nevada. Condor 56:52.

1954. Notes on some Nevada birds. Great Basin Nat. 14:15-18. *Melanitta deglandi*; *Falco columbarius*; *Charadrius hiaticula semipalmatus*—fall spec.; *Totanus melanoleucus*; *Erolia alpina*; *Limnodromus scolopaceus*; *Ereunetes mauri*—March record; *Tyto alba*; *Dendrocopos albolarvatus*—first reports since 1889.

Lake Tahoe and Reno (sight); *Thyromanes bewickii*; *Bombycilla garrulus*—Reno; *Bombycilla cedrorum*; *Amphispiza bilineata*—early spring dates; many of above are county records.

1956. Birds of the piñon association of the Kawich Mountains, Nevada. Great Basin Nat. 16:32-33.

1956. Recent bird records for Nevada. Condor 58:449-452. *Parabuteo unicinctus*—second record in Nev. (sight), Clark Co.; *Catoptrophorus semipalmatus*—first (actually second, cf. Marshall and Alcorn, 1952) nesting record in state; *Glaucidium gnoma californicum*—first record (spec.) for state, several localities in Carson Range; *Dendrocopos scalaris cactophilus*; *Sayornis nigricans semiatra*—first breeding record in state (spec.), Lincoln Co.; *Empidonax difficilis difficilis*; *Hylocichla guttata*—first records of *H. g. slevini* in Nev. (specs.); *Regulus satrapa*; *Vermivora luciae*—range extension to north; *Dendroica occidentalis*—summer resident; *Leucosticte tephrocotis*—first records of *L. t. dawsoni* and second record of *L. t. wallowa* in Nev. (specs.), Washoe Co.; *Leucosticte atrata*—winter record, Washoe Co. (specs.); *Passerella iliaca*—first records of *P. i. sinuosa* and *P. i. unalaschensis* and second records of *P. i. fulva* and *P. i. olivacea* in Nev. (specs.), first in Esmeralda Co., others in Washoe Co.; most records in 1954.

1958. Notes on the red crossbill in Nevada. Condor 60:136-138. Specimens from many localities; allotted to *Loxia curvirostra grinnelli* or *L. c. benti*, both races perhaps intergrading with *L. c. bendirei*.

1963. Biosystematics of sibling species of flycatcher in the *Empidonax hammondi-oberholseri-wrightii* complex. Univ. Calif. Publ. Zool. 66:79-238. Specimens from Nev. listed; range maps.

1965. The breeding avifaunas of the Sheep and Spring Ranges in southern Nevada. Condor 67:93-124. Results of work in Clark Co. in 1963; most important records include: *Meleagris gallopavo*—dates of introduction given; *Columba fasciata*—second record for state (spec.), breeding in Spring Range, assignment to *C. f. monilis* tentatives; *Otus flammeolus flammeolus*—first record for southern Nev. (spec.), breeding; *Glaucidium gnoma californicum*—only verifiable record in Nev. away from Carson Range (spec.); *Caprimulgus vociferus arizonae*—first record for Nev. (spec), possibly breeding; *Sphyrapicus varius*—intergrading of races *S. v. nuchalis* and *S. v. daggetti*; *Sphyrapicus thyroideus nataliae*—summer resident, breeding; *Empidonax difficilis*—race *E. d. hellmayri* breeding; *Sitta canadensis*—apparently breeding; *Sialia mexicana bairdi*—range extension; *Helminthos vermivorus*—first record for Nev. (spec.); *Parula americana*—first record for Nev. (spec.); *Dendroica graciae graciae*—first record for Nev. (specs), breeding; *Geothlypis trichas campicola*—second record for state (spec); *Setophaga picta picta*—first record for Nev. (spec.), perhaps breeding or pioneer colony; *Piranga flava hepatica*—first record for Nev. (spec.).



Johnson, Ned K., and Richard C. Banks

1959. Pine grosbeak and Lawrence goldfinch in Nevada. *Condor* 61:303. *Pinicola enucleator*—first record for state (spec.), race *P. e. californica*, Washoe Co.; *Spinus lawrencei*—first record for state (spec.), Clark Co.; both 1958.

Johnson, Ned K., and Frank Richardson

1952. Supplementary bird records for Nevada. *Condor* 54:358-359. *Mareca penelope*—Correction to Linsdale, 1951, seen at Reno in 1944, no spec. in 1948; *Buteo swainsoni*—range extension; *Erolia bairdii*—second record (spec.) since 1872; *Zenaidura asiatica*—second record for state (sight). Nye Co.; *Asio flammeus*—nest; *Stellula calliope*; *Auriparus flaviceps*—range extension, first breeding outside Colorado River drainage; *Regulus satrapa*; *Sturnus vulgaris*; *Mniotilta varia*—second record for Nev. (sight); *Icterus cucullatus*—second record for state (spec.) probably breeding, Nye Co.; *Molothrus ater*—race *M. a. obscurus* breeding, Nye Co.

Johnson, Ned K., and Ward C. Russell

1962. Distributional data on certain owls in the western Great Basin. *Condor* 64:513-514. *Otus flammeolus flammeolus*—second record for state (spec.), Washoe Co.

Lanyon, Wesley E.

1961. Specific limits and distribution of ash-throated and Nutting flycatchers. *Condor* 63:421-449. Maps show Nev. specimens of *Myiarchus cinerascens cinerascens*.

Linsdale, Jean M.

1951. A list of the birds of Nevada. *Condor* 53:228-249. The starting point for this list; and up-dated condensation of his 1936 work, "The Birds of Nevada," Pacific Coast Avifauna no. 23.

Long, Pauline, and Florence E. Poyser

1965. A record of the groove-billed ani in southern Nevada. First record (sight) of *Crotophaga sulcirostris*, Clark Co., Dec., 1964.

MacDonald, Duncan, and Robert A. Jantzen

1967. Management of Merriam's turkey. pp. 493-534 in *The Wild Turkey and its Management*, Oliver H. Hewitt, ed. The Wildlife Society, Washington, D. C. Information on introduction of *Meleagris gallopavo merriami* in Nev.

Manville, Richard H.

1963. Altitude record for mallard. *Wilson Bull.* 75:92. 21,000 feet, between Battle Mountain and Elko.

Marshall, David B., and J. R. Alcorn

1952. Additional Nevada bird records. *Condor* 54:320-321. *Chen caerulescens*—first record for Nev. (mounted display spec.). Churchill Co.; *Chen rossii*—first record for Nev. (spec.), Church-

ill Co.; *Aythya valisineria*—breeds, Elko Co.; *Clangula hyemalis*—first record for Nev. (mounted trophy specs.), Churchill Co.; *Perdix perdix*—not listed by Linsdale, 1951, well established in northern part of state; *Alectoris graeca*; *Charadrius alexandrinus*—breeding, Churchill Co.; *Catoptrophorus semipalmatus inornatus*—first evidence of breeding, young seen, Douglas Co.; *Sturnus vulgaris*.

Marshall, David B., and LeRoy W. Giles

1953. Recent observations on birds of Anaho Island, Pyramid Lake, Nevada. *Condor* 55:105-116. *Pelecanus erythrorhynchos*; *Phalacrocorax auritus*; *Ardea herodias*; *Branta canadensis*; *Anas platyrhynchos*; *Larus californicus*; *Mergus merganser*; *Hydroprogne caspia*—third nesting record for Nev.; observations in 1950 and 1951.

Marshall, Joe T., Jr.

1967. Parallel variation in North and Middle American screech-owls. Monog. Western Foundation of Vertebrate Zoology no. 1. 72 pp. Nev. populations of *Otus asio* in race *aikeni*.

Miller, Alden H.

1955. The breeding range of the black rosy finch. *Condor* 57:306-307. *Leucosticte atrata* breeding in Jarbidge Mountains, Elko Co., a range extension.

Miller, Alden H., and Ward C. Russell

1956. Distributional data on the birds of the White Mountains of California and Nevada. *Condor* 58:75-77. *Dendragapus fuliginosus sierrae*; *Aegolius acadicus acadicus*—breeding; *Sitta canadensis*—summer resident; *Regulus satrapa olivaceus*—breeding; *Loxia curvirostra grinnelli*—family groups seen; field work in 1954.

Munyer, Edward A.

1965. Inland wanderings of the ancient murrelet. *Wilson Bull.* 77:235-242. Occurrence of first Nev. record (cf. Gullion, 1956) related to weather.

Norris, Robert A.

1958. Comparative biosystematics and life history of the nuthatches *Sitta pygmaea* and *Sitta pusilla*. Univ. Calif. Publ. Zool. 56:119-300. Nevada populations considered; *S. pygmaea melanotis* in northwest part of state. *S. p. canescens* in south.

Phillips, Allan, Joe Marshall, and Gale Monson

1964. The Birds of Arizona. Univ. of Arizona Press, Tucson. 212 pp. Some references to adjacent parts of Nev.

Pitelka, Frank A.

1951. Speciation and ecologic distribution in American jays of the genus *Aphelocoma*. Univ. Calif. Publ. Zool. 50:195-464. Nev. specimens and populations considered; race *A. coerulescens nevadae* in state.

Porter, Richard D.

1955. The Hungarian partridge in Utah. Jour. Wildl. Mgt. 19:93-109. Some mention of Nev.

Proceedings of the Annual Conferences of the Western Association of State Game and Fish Commissioners.

These mimeographed reports contain papers by persons from Nev. which are concerned mainly with management of game species.

Pulich, Warren M.

1952. The Arizona crested flycatcher in Nevada. Condor 54: 169-170. First records (spec.) of *Myiarchus tyrannulus magister* in state, Clark Co., probably breeding.

Pulich, Warren M., and Gordon W. Gullion

1953. Black-and-white warbler, dickcissel, and tree sparrow in Nevada. Condor 55:215. *Mniotilta varia*—spec. records; *Spiza americana*—first records (sight, one banded), Clark Co.; *Spizella arborea*—Clark Co. record.

Pulich, Warren M., and Allan R. Phillips

1951. Autumn bird notes from the Charleston Mountains, Nevada. Condor 53:205-206. *Colaptes auratus borealis*; *Colaptes collaris*; *Sitta carolinensis*; *Sitta pygmaea*; *Certhia familiaris*; *Regulus satrapa*—races *R. s. amoenus* and *R. s. apache*, southern record of species in state (specs.); *Regulus calendula*; *Carpodacus cassinii*; *Spinus pinus*; *Junco*; *Zonotrichia*.

1953. A possible desert flight line of the American redstart. Condor 55:99-100. Includes records for Clark Co.

Richards, Gerald

1962. Wintering habits of some birds at the Nevada atomic test site. Great Basin Nat. 22:30-31. Notes on *Eremophila alpestris*, *Carpodacus mexicanus*, *Amphispiza belli*, *Sturnus vulgaris*, *Falco mexicanus*, *Falco sparverius*, and *Buteo lagopus*; Nye Co., winter 1960-61.

Richards, Gerald L.

1965. Prairie falcon imitates flight pattern of the loggerhead Shrike. Great Basin Nat. 25:48. Dec., 1962, Nye Co.

Richardson, Frank

1952. A second record of the indigo bunting in Nevada. Condor 54:63. *Passerina cyanea*, Nye Co., June, 1951 (spec.).

Rickard, W. H.

1960. An occurrence of the rose-breasted grosbeak in southern Nevada. Condor 62:140. *Pheucticus ludovicianus*, second record (sight), Clark Co., 1959.

1961. Notes on bird nests found in a desert shrub community following nuclear detonations. Condor 63:265-266. *Buteo swainsoni*; *Tyrannus verticalis*; *Sayornis saya*; *Eremophila alpestris*; *Mimus polyglottos*; *Carpodacus mexicanus*; *Amphispiza bilineata*; *Spizella breweri*; Nye Co., 1958-1960.

Rogers, Glenn E.

1963. Blue grouse census and harvest in the United States and Canada. Jour. Wildl. Mgt. 27:579-585. Some data for Nevada.

Ryser, Fred A.

1963. Prothonotary warbler and yellow-shafted flicker in Nevada. Condor 65:334. *Protonotaria citrea*—first record for Nev. (spec.), south of Reno; *Colaptes auratus luteus*—first record of this race in Nev. (spec.).

Schorger, A. W.

1966. The Wild Turkey—Its History and Domestication. Univ. of Oklahoma Press, Norman. 625 pp. "Two plantings of Merriam's turkeys, totaling nine males and thirty-five females, were made in the Spring Mountains, western Clark County, on February 8, 1960, and March 6, 1962. . . ." (p. 451).

Schultz, Vincent

1966. References on Nevada Test Site ecological literature. Great Basin Nat. 26:79-86. Includes references to papers on birds, and much else of interest to biologists.

Selander, Robert K.

1954. A systematic review of the booming nighthawks of western North America. Condor 56:57-82. Nev. localities for *Chordeiles minor hesperis*.

Smith, Bill

1966. A second record of ancient murrelet from Nevada. Condor 68:511-512. *Synthliboramphus antiquum* from Carson City, Ormsby Co., Nov., 1965 (spec.).

Stewart, Robert E., and John W. Aldrich

1956. Distinction of maritime and prairie populations of blue-winged teal. Proc. Biol. Soc. Wash. 69:29-36. Nev. specimens examined referred to *Anas discors discors*.

Tsukamoto, George K.

1966. Some notes on birds of Elko County, Nevada. Condor 68:103-104. *Acanthis flammea*; *Cyanocitta stelleri*—first records (two sightings) in county, northernmost in eastern Nev.

Weaver, Harold R., and William L. Haskell

1967. Some fall foods of Nevada chukar partridge. Jour. Wildl. Mgt. 31:582-584.

Wooten, Michael, and David B. Marshall

1965. Heermann gull in Nevada. Condor 67:83-84. *Larus heermanni*—first record for Nev. (photo); Pyramid Lake, Washoe Co., June, 1961.

Wick, William Q.

1955. A recent record of the sharp-tailed grouse in Nevada. Condor 57:243. Flock of 12 *Pedioecetes phasianellus* seen, Humboldt Co.